

Bullets with a dash (DO NOT USE the “Bullets and Numbering”):

- bullet item – indented: 0.5 cm,
- position of text – indented 1.0 cm.

Numbering (DO NOT USE the “Bullets and Numbering”):

1. Item number – indented: 0.5 cm,
2. Position of text – indented 1.0 cm.

11 points break

11 points break

2. MATHEMATICAL EQUATIONS, FIGURES AND TABLES

11 points break

2.1. Mathematical equations

11 points break

Mathematical equations should be centered and numbered consecutively on the right. Equations should be placed near the reference to the formula. Mathematical equations should be prepared by means of Microsoft Equation 3.0 or Microsoft Word 2013 Equation Tool (preferred).

11 points break

$$e \cdot q + \left[u \cdot \frac{a}{t} \right] = o \cdot \sqrt[3]{\omega} \quad (1)$$

11 points break

where: e – ...,
 q – ...,
 u –

11 points break

Symbols should be write in text by means of *italic fonts* – e. g. $e = 12.34$ mm, $q = 45.67$ N, $u = 7.89$ mm², etc.

11 points break


2.2. Figures

11 points break

Figures should be placed correctly in the text (not far from the reference to the figure). Number and title of the figure should be placed below it and centered. All figures should be cited in the paper in a consecutive order. Do not include photographs or color drawings. Title of the figure should contain information about figure source – reference number or information “own study”.

If the article is accepted, authors can be asked to provide the source files of the figures. Each figure should be supplied in a separate electronic file. Figures should be supplied in the form of graphical files in the *.tif, *.jpg, *.gif or *.cdr formats. Bitmap images should be of at least 300 dpi resolution unless the resolution is intentionally set to a lower level for scientific reasons. It is necessary to specify the source of the figures (number of publication in the references or information [source: own study]).

11 points break



6 points break

Fig. 1. Figure title (source) (font size: 9, bold)

11 points break

2.3. Tables

11 points break

Tables should be centered. The table number and the descriptive title should be placed above the table, aligned to the left edge of the table. Tables should be cited consecutively in the text.

11 points break

Tab. 1. Table title (source) (font size: 9, bold)

6 points break

Text						
Text						
Text						
Text						

11 points break

11 points break

3. CONCLUSIONS

11 points break

Reference should be placed at the end of the article in the alphabetical order. Only items cited in the text should be posted. **Please use the APA 6th citation style** (http://www.muhsenberg.edu/library/reshelp/apa_example.pdf)

11 points break

11 points break

REFERENCES (FONT SIZE: 9, BOLD, CENTERED, CAPITALS)

9 points break

Last name, Initial. (Year of publication). *Title of book*. Place of publication: Publisher.

Last name, Initial., Last name, Initial., & Last name, Initial. (Year of publication). Title of the publication. *Journal title, volume number*, page range. doi number:

(font size: 9, justify, all lines after the first line of each entry – indented 1.0 cm)

References examples:

Akhmet, M., & Fen, M. O. (2016). Unpredictable points and chaos. *Communications in Nonlinear Science and Numerical Simulation*, 40, 1–5. doi:10.1016/j.cnsns.2016.04.007

Fines, J. M., & Agah, A. (2008). Machine tool positioning error compensation using artificial neural networks. *Engineering Applications of Artificial Intelligence*, 21(7), 1013–1026. doi:10.1016/j.engappai.2007.10.001

- Herrmann, R. K. (2002). Linking theory to evidence in international relations. In W. Carlsnaes, T. Risse, & B. A. Simmons (Eds.), *Handbook of international relations* (pp. 119–136). London, England: Sage.
- Ickes, W. (Ed.). (1998). *Empathic accuracy*. New York, NY: Guilford Press.
- Li, X. (2001). Real-time prediction of workpiece errors for a CNC turning centre, Part 1. Measurement and identification. *International Journal of Advanced Manufacturing Technology*, 17(9), 649–653. doi:10.1007/s001700170128
- Ruan, B., Li, G. Q., Chen, Y., Mitrouchev, P., He, B., & Lu, L. X. (2016). New tension mechanism for high-speed tensile testing machine. *International Journal of Automotive Technology*, 17(6), 1033–1043. doi:10.1007/s12239-016-0101-2